

Prenate Pixie®

Robust Rx Prenatal Vitamin with 11 concentrated nutrients and minerals in a tiny softgel package Rx Only

DESCRIPTION: PRENATE PIXIE® is a prescription prenatal/postnatal multivitamin/mineral/essential fatty acid softgel. Each softgel is purple in color, opaque, and imprinted with "PIX".

Supplement Facts

Serving Size: 1 Softgel

Amount per Serving:		% Daily Value	% Daily Value
		Pregnant & Lactating Women	Women
Vitamin C (as ascorbic acid)	30 mg	50%	50%
Biotin	75 mcg	25%	25%
Vitamin D3 (as cholecalciferol)	12.5 mcg	80%	80%
Vitamin B12 (as cyanocobalamin)	13 mcg	220%	160%
Folate (as (6S)-N5-methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	430%	280%
Iron (as Sumalate® (ferrous asparto glycinate))	10 mg	60%	60%
Iodine (as potassium iodide)	150 mcg	100%	100%
Vitamin B6 (as pyridoxine HCl)	5 mg	250%	200%
Vitamin E (as dl-alpha tocopheryl acetate)	4.5 mg	30%	30%
Docosahexaenoic acid (DHA)	200 mg	†	†
Blueberry extract (vaccinium spp.)	5 mg	†	†

† Daily Value (DV) not established.

OTHER INGREDIENTS: Beeswax, palm shortening and soy lecithin. Capsule (caramel, FD&C blue #1, FD&C red #40, gelatin, glycerin, purified water and titanium dioxide). PRENATE PIXIE® contains fish oil and soy.

INDICATIONS: PRENATE PIXIE® is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers.

CONTRAINDICATIONS: PRENATE PIXIE® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: Before, during and/or after pregnancy, one softgel daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels (75854-316-30). The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F) [See USP Controlled Room Temperature.]

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE OR PREVENT ANY DISEASE.

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

Sumalate® is a registered trademark of Albion Laboratories, Inc., covered by one or more claims of U.S. Patent Nos. 5,516,925, 6,716,814, 8,007,846, and 8,425,956.

MANUFACTURED FOR:

Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
L-0191 Rev 0520-01

Prenate Mini®

Rx Only Dietary Supplement

DESCRIPTION: PRENATE MINI® is a prescription prenatal/postnatal multivitamin/mineral/essential fatty acid softgel. Each oval softgel is teal green in color and imprinted with "Mini." Contains no ingredient made from gluten-containing grain (wheat, barley, or rye).

Supplement Facts

Serving Size: 1 Softgel

Amount per Serving:		% Daily Value	% Daily Value
		Pregnant & Lactating Women	Women
Vitamin C (as ascorbic acid)	60 mg	100%	100%
Vitamin D3 (as cholecalciferol)	25 mcg	130%	130%
Vitamin E (as dl-alpha tocopheryl acetate)	4.5 mg	30%	30%
Vitamin B6 (as pyridoxine HCl)	26 mg	1300%	1040%
Folate (as (6S)-N5-methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	430%	280%
Vitamin B12 (as cyanocobalamin)	13 mcg	220%	160%
Biotin	280 mcg	90%	90%
Calcium (as calcium carbonate)	80 mg	8%	6%
Iron (as Sumalate® (ferrous asparto glycinate) and carbonyl iron)	18 mg	100%	100%
Iodine (as potassium iodide)	150 mcg	100%	100%
Magnesium (as magnesium oxide)	25 mg	6%	6%
Docosahexaenoic acid (DHA)	350 mg	†	†
Blueberry extract (vaccinium spp.)	25 mg	†	†

† Daily Value (DV) not established.

Contains fish oil and soy. Contains FD&C Yellow No. 5 (tartrazine) as a color additive.

OTHER INGREDIENTS: Beeswax, bovine gelatin, FD&C Blue #1, FD&C Yellow #5, fish (tuna) oil, glycerin, purified water, soy lecithin, titanium dioxide and vegetable shortening.

INDICATIONS: PRENATE MINI® is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers. PRENATE MINI® can also be beneficial in improving the nutritional status of women prior to conception.

CONTRAINDICATIONS: PRENATE MINI® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress. This product contains FD&C Yellow No. 5 (tartrazine) which may cause allergic-type reactions (including bronchial asthma) in certain susceptible persons. Although the overall incidence of FD&C Yellow No. 5 (tartrazine) sensitivity in the general population is low, it is frequently seen in patients who also have aspirin hypersensitivity.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: Before, during and/or pregnancy, one softgel daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels (75854-315-30). The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

Avion
PHARMACEUTICALS

MANUFACTURED FOR:

Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
L-0189 Rev 0620-03

Sumalate® is a registered trademark of Albion Laboratories, Inc., covered by one or more claims of U.S. Patent Nos. 6,716,814; 8,007,846; and 8,425,956.

PRENATE® is a registered trademark of Avion Pharmaceuticals, LLC. All rights reserved.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

Prenate® Enhance

Rx prenatal vitamin with 400 mg DHA, 25 mcg Vitamin D, and chelated iron

Rx Only

DESCRIPTION: PRENATE® Enhance is a prescription prenatal vitamin that contains advanced calcium and 400mg of DHA. Each dark purple softgel is imprinted with "N" on one side and blank on the other.

Supplement Facts	Serving Size: 1 Softgel	% Daily Value	% Daily Value (Pregnant & Lactating Women)
Amount per Serving:			
Vitamin C (as ascorbic acid)	85 mg	140%	140%
Vitamin D3 (as cholecalciferol)	25 mcg	130%	130%
Vitamin E (as dl-alpha tocopheryl acetate)	4.5 mg	30%	30%
Folate (as 1.11 mg of (6S)-N5-methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	430%	280%
Vitamin B6 (as pyridoxine HCl)	25 mg	1250%	1000%
Vitamin B12 (as cyanocobalamin)	12 mcg	200%	150%
Biotin	500 mcg	170%	170%
Calcium (as a blend of Formical® (calcium formate) and calcium carbonate)	155 mg	20%	10%
Iron (as a blend of Sumalate® (ferrous asparto glycinate) and ferrous fumarate)	28 mg	160%	160%
Iodine (as potassium iodide)	150 mcg	100%	100%
Magnesium (as magnesium oxide)	50 mg	10%	10%
Docosahexaenoic acid (DHA)	400 mg	†	†

OTHER INGREDIENTS: Beeswax, palm shortening, and soy lecithin. Gelatin capsule (FD&C Blue # 1, FD&C Red # 40, gelatin, glycerin, purified water, sorbitol, and titanium dioxide).

INDICATIONS: PRENATE® Enhance is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers. PRENATE® Enhance can also be beneficial in improving the nutritional status of women prior to conception.

CONTRAINDICATIONS: PRENATE® Enhance is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: One softgel daily, or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels (75854-309-30). The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
L-0175 Rev 0621-02

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

Formical® is a registered trademark of Nephro-Tech 1, LLC, covered by one or more claims of U.S. Patent No. 6,528,542.

Sumalate® is a registered trademark of Albion Laboratories, Inc., covered by one or more claims of U.S. Patent Nos. 5,516,925, 6,716,814, 8,007,846 and 8,425,956.

Prenate® Restore

Rx postnatal vitamin with probiotics, DHA, and chelated iron

Rx Only Dietary Supplement

DESCRIPTION: PRENATE® Restore is a prescription postnatal vitamin dietary supplement that contains probiotics, DHA, and advanced calcium. Each dark blue softgel is imprinted with "Omega Rx" on one side and blank on the other.

Supplement Facts	Serving Size: 1 Softgel	% Daily Value	% Daily Value (Pregnant & Lactating Women)
Amount per Serving:			
Vitamin C (as ascorbic acid)	85 mg	140%	140%
Vitamin D3 (as cholecalciferol)	25 mcg	130%	130%
Vitamin E (as dl-alpha tocopheryl acetate)	4.5 mg	30%	30%
Folate (as 1.11 mg of (6S)-N5-methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	430%	280%
Vitamin B6 (as pyridoxine HCl)	25 mg	1250%	1000%
Vitamin B12 (as cyanocobalamin)	12 mcg	200%	150%
Biotin	500 mcg	170%	170%
Calcium (as a blend of Formical® (calcium formate) and calcium carbonate)	156 mg	20%	10%
Iron (as a blend of Sumalate® (ferrous asparto glycinate) and ferrous fumarate)	27 mg	150%	150%
Magnesium (as magnesium oxide)	45 mg	10%	10%
Bacillus Coagulans (as Lactospore®) 150 Million CFU	10 mg	†	†
Docosahexaenoic Acid (DHA)	400 mg	†	†

† Daily Value (DV) not established.

OTHER INGREDIENTS: Beeswax, palm shortening, and soy lecithin. Gelatin capsule (FD&C Blue #1, FD&C Red #3, gelatin, glycerin, purified water, sorbitol, and titanium dioxide).

INDICATIONS: PRENATE® Restore is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers. PRENATE® Restore can also be beneficial in improving the nutritional status of women prior to conception.

CONTRAINDICATIONS: PRENATE® Restore is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: One softgel daily, or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels. (75854-308-30). The listed product number is not a National Drug Code. Instead, Avion Pharmaceuticals has assigned a product code formatted according to standard industry practice to meet the formatting requirements of pharmacy and healthcare insurance computer systems.

STORAGE: Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
L-0170 Rev 0620-01

Formical® is a registered trademark of Nephro-Tech 1, LLC, covered by one or more claims of U.S. Patent No. 6,528,542.

Sumalate® is a registered trademark of Albion Laboratories, Inc., covered by one or more claims of U.S. Patent Nos. 5,516,925, 6,716,814, 8,007,846 and 8,425,956.

LactoSpore® is a registered trademark of Sabinsa Corporation.

PRENATE® is a registered trademark of Avion Pharmaceuticals, LLC. All rights reserved.

Prenate Chewable®

A chewable Rx prenatal vitamin with a delicious chocolate flavor

Rx Only

DESCRIPTION: PRENATE CHEWABLE® is a prescription prenatal/postnatal multivitamin/mineral chocolate chewable tablet. Each tablet is brown and imprinted with "Prenate Chew" on one side and blank on the other.

Supplement Facts		% Daily Value (Pregnant & Lactating Women)	
Serving Size: 1 Tablet			
Each Capsule Contains:			
Calcium (as calcium carbonate)	500 mg	50%	38%
Vitamin D3	7.5 mcg	40%	40%
Magnesium (as magnesium oxide)	50 mg	10%	10%
Folate 1.1 mg Quatrefolic® (as (6S)-5-methyltetrahydrofolate glucosamine salt equivalent to 600 mcg of folic acid and folic acid, USP 400 mcg)	1700 mcg DFE	430%	280%
Vitamin B6 (as pyridoxine HCL)	10 mg	500%	400%
Vitamin B12 (as cyanocobalamin)	125 mcg	2080%	1560%
Biotin	280 mcg	90%	90%
Boron Amino Acid Chelate	250 mcg	†	†
Blueberry extract	25 mg	†	†
† Daily Value (DV) not established.			

OTHER INGREDIENTS: Chocolate Flavor, Gum Acacia, Fructose, Hydrogenated Vegetable Oil (as Sterotex®), Magnesium Stearate, Natural Dutch Chocolate, Silica (as Sipernat®), and Silicone Dioxide.

INDICATIONS: PRENATE CHEWABLE® is a multivitamin/multimineral dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers. PRENATE CHEWABLE® can also be beneficial in improving the nutritional status of women prior to conception.

CONTRAINDICATIONS: This product is contraindicated in patients with a known hypersensitivity to any of the ingredients.

KEEP THIS AND ALL MEDICATIONS OUT OF THE REACH OF CHILDREN.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 0.1 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: One tablet daily or as directed by a physician.

HOW SUPPLIED: PRENATE CHEWABLE® is supplied in child-resistant bottles of 30 tablets (75854-306-30).

The listed product number is not a National Drug Code, but has instead merely been formatted to comply with standard industry practice for pharmacy and insurance computer systems.

Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

MANUFACTURED FOR:

Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
L-0160 Rev. 0620-01

Quatrefolic® is a registered trademark of Gnosis, SpA.

Prenate DHA®

Rx Only

DESCRIPTION: PRENATE DHA® is a prescription prenatal/postnatal multivitamin/mineral/essential fatty acid softgel. Each softgel is blue in color, opaque, and imprinted with "DHA" on one side and blank on the other.

Supplement Facts			
Serving Size: 1 Softgel			
Amount per Serving:		% Daily Value	% Daily Value for Pregnant & Lactating Women
Vitamin C (as ascorbic acid)	90 mg	150%	150%
Vitamin D3 (as cholecalciferol)	10 mcg	50%	70%
Vitamin E (as dl-alpha tocopherol acetate)	18 mg	120%	95%
Vitamin B6 (as pyridoxine HCl)	26 mg	1300%	1040%
Folate (as (6S)-N5-methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	430%	280%
Vitamin B12 (as cyanocobalamin)	25 mcg	420%	310%
Calcium (as Formical® (calcium formate))	155 mg	15%	10%
Iron (as Sumalate® (ferrous asparto glycinate))	18 mg	100%	100%
Magnesium (as magnesium oxide)	50 mg	15%	10%
Docosahexaenoic Acid (DHA)	300 mg	†	†
† Daily Value (DV) not established.			

PRENATE DHA® contains fish oil and soy.

OTHER INGREDIENTS: Gelatin capsule (FD&C Blue #1, FD&C Red #3, gelatin, glycerin, purified water, sorbitol, and titanium dioxide), beeswax, soy lecithin, and soybean oil.

INDICATIONS: PRENATE DHA® is a multivitamin/multimineral fatty acid dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers. PRENATE DHA® can also be beneficial in improving the nutritional status of women prior to conception.

CONTRAINDICATIONS: PRENATE DHA® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B12 is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: Before, during and/or after pregnancy, one softgel daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels. (75854-312-30).

The listed product number is not a National Drug Code, but has instead merely been formatted to comply with standard industry practice for pharmacy and insurance computer systems.

Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

MANUFACTURED FOR:

Avion Pharmaceuticals, LLC
Atlanta, GA 30005 1-888-61-AVION
L-0177 Rev 0620-02

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

Formical® is a registered trademark of Nephro-Tech 1, LLC, covered by one or more claims of U.S. Patent No. 6,528,542. Sumalate® is a registered trademark of Albion Laboratories, Inc., covered by one or more claims of U.S. Patent Nos. 5,516,925, 6,716,814, 8,007,846, and 8,425,956.

Prenate Elite®

Rx Only

DESCRIPTION: PRENATE ELITE® is a white, oval, oil- and water-soluble, multivitamin/mineral, film-coated tablet debossed with "PN" on one side and blank on the other. Contains no ingredient made from gluten-containing grain (wheat, barley, or rye).

Supplement Facts

Serving Size: 1 Tablet

Amount per Serving:	% Daily Value	% Daily Value (Pregnant & Lactating Women)
Vitamin A (as beta-carotene)	780 mcg	90%
Vitamin C (as ascorbic acid)	75 mg	125%
Vitamin D ₃ (as cholecalciferol)	15 mcg	75%
Vitamin E (as dl-alpha tocopheryl acetate)	18 mg	120%
Thiamin (as thiamine mononitrate)	3 mg	200%
Riboflavin	3.5 mg	210%
Niacinamide	21 mg	105%
Vitamin B ₆ (as pyridoxine HCl)	21 mg	1050%
Folate (as 1.11 mg of (6S)-N ⁵ -methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	430%
Calcium (as Formical® (calcium formate))	155 mg	20%
Iron (as Sumalate® (ferrous asparto glycinate))	20 mg	110%
Vitamin B ₁₂ (as cyanocobalamin)	13 mcg	220%
Biotin	330 mcg	110%
Iodine (as potassium iodide)	150 mcg	100%
Magnesium (as magnesium oxide)	25 mg	10%
Zinc (as zinc oxide)	15 mg	100%
Copper (as cupric oxide)	1.5 mg	75%

OTHER INGREDIENTS: Croscarmellose Sodium, Magnesium Stearate, Microcrystalline Cellulose, Silicon Dioxide, Stearic Acid, Film Coating (Hydroxypropyl Methylcellulose, Titanium Dioxide, Triacetin).

INDICATIONS: PRENATE ELITE® is a multivitamin/mineral dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers.

CONTRAINDICATIONS: PRENATE ELITE® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B₁₂ is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: Before, during and/or after pregnancy, one tablet daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 tablets. (75854-314-30).

The listed product number is not a National Drug Code, but has instead merely been formatted to comply with standard industry practice for pharmacy and insurance computer systems.

Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Atlanta, GA 30005
1-888-61-AVION
L-0187 Rev 0620-01

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

Formical® is a registered trademark of Nephro-Tech 1, LLC, covered by one or more claims of U.S. Patent No. 6,528,542. Sumalate® is a registered trademark of Albion Laboratories, Inc., covered by one or more claims of U.S. Patent Nos. 5,516,925, 6,716,814, 8,007,846, and 8,425,956.

Prenate Essential®

Rx Only

DESCRIPTION: PRENATE ESSENTIAL® is a prescription prenatal/postnatal multivitamin/mineral/ essential fatty acid softgel. Each softgel is green in color, opaque, and imprinted with "Prenate" on one side and blank on the other. Contains no ingredient made from gluten-containing grain (wheat, barley, or rye).

Supplement Facts

Serving Size: 1 Softgel

Amount per Serving:	% Daily Value	% Daily Value (Pregnant & Lactating Women)
Vitamin C (as ascorbic acid)	90 mg	150%
Vitamin D ₃ (as cholecalciferol)	5.5 mcg	30%
Vitamin E (as dl-alpha tocopheryl acetate)	4.5 mg	30%
Vitamin B ₆ (as pyridoxine HCl)	26 mg	1300%
Folate (as 1.11 mg of (6S)-N ⁵ -methyltetrahydrofolic acid calcium salt (equivalent to 600 mcg of folic acid) and folic acid, USP 400 mcg)	1700 mcg DFE	430%
Vitamin B ₁₂ (as cyanocobalamin)	13 mcg	220%
Biotin	280 mcg	90%
Calcium (as Formical® (calcium formate))	155 mg	20%
Iron (as Sumalate® (ferrous asparto glycinate))	18 mg	100%
Iodine (as potassium iodide)	150 mcg	100%
Magnesium (as magnesium oxide)	50 mg	10%
Docosahexaenoic Acid (DHA)	300 mg	†
Eicosapentaenoic Acid (EPA)	40 mg	†

† Daily Value (DV) not established.

PRENATE ESSENTIAL® contains fish oil and soy.

OTHER INGREDIENTS: Beeswax, soy lecithin and soybean oil. Gelatin capsule (glycerin, purified water, sodium copper chlorophyllin, sorbitol and turmeric).

INDICATIONS: PRENATE ESSENTIAL® is a multivitamin/mineral dietary supplement indicated for use in improving the nutritional status of women throughout pregnancy and in the postnatal period for both lactating and nonlactating mothers. PRENATE ESSENTIAL® can also be beneficial in improving the nutritional status of women prior to conception.

CONTRAINDICATIONS: PRENATE ESSENTIAL® is contraindicated in patients with a known hypersensitivity to any of the ingredients.

WARNING: Ingestion of more than 3 grams of omega-3 fatty acids (such as DHA) per day has been shown to have potential antithrombotic effects, including an increased bleeding time and International Normalized Ratio (INR). Administration of omega-3 fatty acids should be avoided in patients taking anticoagulants and in those known to have an inherited or acquired predisposition to bleeding.

PRECAUTIONS: Folic acid alone is improper therapy in the treatment of pernicious anemia and other megaloblastic anemias where Vitamin B₁₂ is deficient. Folic acid in doses above 1.0 mg daily may obscure pernicious anemia in that hematologic remission can occur while neurological manifestations progress.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

ADVERSE REACTIONS: Allergic sensitization has been reported following both oral and parenteral administration of folic acid.

DOSAGE AND ADMINISTRATION: Before, during and/or after pregnancy, one softgel daily or as directed by a physician.

HOW SUPPLIED: Bottles of 30 softgels. (75854-313-30).

The listed product number is not a National Drug Code, but has instead merely been formatted to comply with standard industry practice for pharmacy and insurance computer systems.

Store at 20° - 25°C (68° - 77°F); excursions permitted to 15° - 30°C (59° - 86°F). [See USP Controlled Room Temperature.]

MANUFACTURED FOR:
Avion Pharmaceuticals, LLC
Alpharetta, GA 30005
1-888-61-AVION
L-0182 Rev 0620-01

THESE STATEMENTS HAVE NOT BEEN EVALUATED BY THE FOOD AND DRUG ADMINISTRATION. THIS PRODUCT IS NOT INTENDED TO DIAGNOSE, TREAT, CURE, OR PREVENT ANY DISEASE.

Formical® is a registered trademark of Nephro-Tech 1, LLC, covered by one or more claims of U.S. Patent No. 6,528,542.

Sumalate® is a registered trademark of Albion Laboratories, Inc., covered by one or more claims of U.S. Patent Nos. 5,516,925, 6,716,814, 8,007,846, and 8,425,956.